



Elevating Healthcare with Precision in Surgery,
Dentistry, and Beauty Instruments for decades.

We stand as a premier manufacturer and exporter of exceptional surgical, dental, and beauty instruments, boasting a rich legacy spanning more than two decades. Our commitment to excellence and unwavering reliability has earned us acclaim among customers and partners worldwide.

We have a team of skilled and experienced craftsmen, engineers, and quality controllers who work together to create and deliver the best instruments for our customers. We also have a team of friendly and professional customer service representatives who are ready to assist and support our customers with their inquiries and orders.



We are committed to providing our customers with the best products and services at the most competitive prices. We also offer customized solutions and designs to meet the specific needs and preferences of our customers. We are always looking for new and innovative ways to improve our products & services and to satisfy our customers.

Expertise that Matters:


With 20 years of specialized experience, we bring unparalleled expertise to the realm of surgical instrument manufacturing. Our seasoned professionals are dedicated to delivering instruments of the highest quality.

Innovation at the Core:

Embracing cutting-edge technologies, we ensure that our manufacturing processes are at the forefront of industry innovation. This commitment guarantees that you receive instruments that meet and exceed the latest standards in medical science.

Rigorous Quality Assurance:

Quality is not just a goal; it's our standard. Our stringent quality control measures are integrated at every stage, ensuring that each instrument leaving our facility is of impeccable quality, offering reliability in every use.





RAZOR EDGE HAIR DRESSING SCISSORS



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Titanium Coated Barber Scissor Adjustable Screw, Removable Finger Rest Article. WI-3007 Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitation, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-3007



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Titanium Coated Barber Scissor Movable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitation, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-3006

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Titanium Coated Barber Scissor Movable Screw, Removable Finger Rest Article. WI-3005 Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-3005



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Titanium Coated Barber Scissor Movable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-3004

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Titanium Coated Barber Scissor Movable Screw. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-3003



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Titanium Coated Barber Scissor Movable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-3002

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Removable Finger Rest.
Available Sizes. 4 in, 4.5 in Details. Razor
edge hair dressing scissors made of
Japanese stainless steel J/2 - 420, HRC°
(hardness) 52° - 55°. Also Available in 440c,
HRC° (hardness) 60° - 65°. Available in Fix,
Limitaion, Adjustable and hand adjustable
screws with and without leaf spring.

[View Online](#)

SKU: AI-3001



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Multi-Colord Barber
Scissor Adjustable Screw, Removable Finger
Rest. Available Sizes. 4 in, 4.5 in Details.
Razor edge hair dressing scissors made of
Japanese stainless steel J/2 - 420, HRC°
(hardness) 52° - 55°. Also Available in 440c,
HRC° (hardness) 60° - 65°. Available in Fix,
Limitaion, Adjustable and hand adjustable
screws with and without leaf spring.

[View Online](#)

SKU: AI-2546

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Multi-Colored Barber Scissor Adjustable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitation, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2543



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Multi-Colored Barber Scissor Adjustable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitation, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2542

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Multi-Colord Barber Scissor Adjustable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Avaiaible in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2541



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Multi-Colord Barber Scissor Adjustable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Avaiaible in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2540



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Removable Finger Rest.
Available Sizes. 4 in, 4.5 in Details. Razor
edge hair dressing scissors made of
Japanese stainless steel J/2 - 420, HRC°
(hardness) 52° - 55°. Also Available in 440c,
HRC° (hardness) 60° - 65°. Available in Fix,
Limitaion, Adjustable and hand adjustable
screws with and without leaf spring.

[View Online](#)

SKU: AI-2539



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Removable Finger Rest.
Available Sizes. 4 in, 4.5 in Details. Razor
edge hair dressing scissors made of
Japanese stainless steel J/2 - 420, HRC°
(hardness) 52° - 55°. Also Available in 440c,
HRC° (hardness) 60° - 65°. Available in Fix,
Limitaion, Adjustable and hand adjustable
screws with and without leaf spring.

[View Online](#)

SKU: AI-2538

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2537



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Three Rings, Fixed Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2536

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2535



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Fixed Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2534

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Three Rings, Fixed Finger Rest Article. WI-2533 Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring

[View Online](#)

SKU: AI-2533



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Avaiaible in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2532

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Fixed Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2531



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Removable Finger Rest Article. WI-2530 Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2530

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Removable Finger Rest.
Available Sizes. 4 in, 4.5 in Details. Razor
edge hair dressing scissors made of
Japanese stainless steel J/2 - 420, HRC°
(hardness) 52° - 55°. Also Available in 440c,
HRC° (hardness) 60° - 65°. Available in Fix,
Limitaion, Adjustable and hand adjustable
screws with and without leaf spring.

[View Online](#)

SKU: AI-2529



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Adjustable Screw, Removable Finger Rest.
Available Sizes. 4 in, 4.5 in Details. Razor
edge hair dressing scissors made of
Japanese stainless steel J/2 - 420, HRC°
(hardness) 52° - 55°. Also Available in 440c,
HRC° (hardness) 60° - 65°. Available in Fix,
Limitaion, Adjustable and hand adjustable
screws with and without leaf spring.

[View Online](#)

SKU: AI-2528

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2527



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Fixed Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2526

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2525



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Fixed Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2524

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Adjustable Screw, Removable Finger Rest Article. WI-2523 Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2523



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2522

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Fixed Finger Rest Article.
WI-2521 Available Sizes. 4 in, 4.5 in Details.
Razor edge hair dressing scissors made of
Japanese stainless steel J/2 - 420, HRC°
(hardness) 52° - 55°. Also Available in 440c,
HRC° (hardness) 60° - 65°. Available in Fix,
Limitaion, Adjustable and hand adjustable
screws with and without leaf spring.

[View Online](#)

SKU: AI-2521



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Fixed Finger Rest. Available
Sizes. 4 in, 4.5 in Details. Razor edge hair
dressing scissors made of Japanese stainless
steel J/2 - 420, HRC° (hardness) 52° - 55°.
Also Available in 440c, HRC° (hardness) 60° -
65°. Available in Fix, Limitaion, Adjustable
and hand adjustable screws with and
without leaf spring.

[View Online](#)

SKU: AI-2520

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Removable Finger Rest.
Available Sizes. 4 in, 4.5 in Details. Razor
edge hair dressing scissors made of
Japanese stainless steel J/2 - 420, HRC°
(hardness) 52° - 55°. Also Available in 440c,
HRC° (hardness) 60° - 65°. Available in Fix,
Limitaion, Adjustable and hand adjustable
screws with and without leaf spring.

[View Online](#)

SKU: AI-2519



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Fixed Finger Rest. Available
Sizes. 4 in, 4.5 in Details. Razor edge hair
dressing scissors made of Japanese stainless
steel J/2 - 420, HRC° (hardness) 52° - 55°.
Also Available in 440c, HRC° (hardness) 60° -
65°. Available in Fix, Limitaion, Adjustable
and hand adjustable screws with and
without leaf spring.

[View Online](#)

SKU: AI-2518

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Fixed Finger Rest. Available
Sizes. 4 in, 4.5 in Details. Razor edge hair
dressing scissors made of Japanese stainless
steel J/2 - 420, HRC° (hardness) 52° - 55°.
Also Available in 440c, HRC° (hardness) 60° -
65°. Available in Fix, Limitaion, Adjustable
and hand adjustable screws with and
without leaf spring

[View Online](#)

SKU: AI-2517



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Fixed Finger Rest. Available
Sizes. 4 in, 4.5 in Details. Razor edge hair
dressing scissors made of Japanese stainless
steel J/2 - 420, HRC° (hardness) 52° - 55°.
Also Available in 440c, HRC° (hardness) 60° -
65°. Available in Fix, Limitaion, Adjustable
and hand adjustable screws with and
without leaf spring

[View Online](#)

SKU: AI-2516

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Fixed Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2515



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Removale Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2514



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Fixed Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring

[View Online](#)

SKU: AI-2513



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2512



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Fixed Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2511



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Fixed Finger Rest Article. WI-2511 Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring

[View Online](#)

SKU: AI-2510

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Adjustable Screw, Removable Finger Rest.
Available Sizes. 4 in, 4.5 in Details. Razor
edge hair dressing scissors made of
Japanese stainless steel J/2 - 420, HRC°
(hardness) 52° - 55°. Also Available in 440c,
HRC° (hardness) 60° - 65°. Available in Fix,
Limitaion, Adjustable and hand adjustable
screws with and without leaf spring.

[View Online](#)

SKU: AI-2509



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Removable Finger Rest.
Available Sizes. 4 in, 4.5 in Details. Razor
edge hair dressing scissors made of
Japanese stainless steel J/2 - 420, HRC°
(hardness) 52° - 55°. Also Available in 440c,
HRC° (hardness) 60° - 65°. Available in Fix,
Limitaion, Adjustable and hand adjustable
screws with and without leaf spring

[View Online](#)

SKU: AI-2508

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Fixed Finger Rest. Available
Sizes. 4 in, 4.5 in Details. Razor edge hair
dressing scissors made of Japanese stainless
steel J/2 - 420, HRC° (hardness) 52° - 55°.
Also Available in 440c, HRC° (hardness) 60° -
65°. Available in Fix, Limitaion, Adjustable
and hand adjustable screws with and
without leaf spring.

[View Online](#)

SKU: AI-2507



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor
Movable Screw, Removable Finger Rest.
Available Sizes. 4 in, 4.5 in Details. Razor
edge hair dressing scissors made of
Japanese stainless steel J/2 - 420, HRC°
(hardness) 52° - 55°. Also Available in 440c,
HRC° (hardness) 60° - 65°. Available in Fix,
Limitaion, Adjustable and hand adjustable
screws with and without leaf spring

[View Online](#)

SKU: AI-2506



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Movable Screw, Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2505



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Adjustable Screw. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2504

aurifyinternational.com



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Adjustable Screw. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)

SKU: AI-2503



RAZOR EDGE HAIR DRESSING SCISSORS

Professional Razor Edge Barber Scissor Adjustable Screw, w/Removable Finger Rest. Available Sizes. 4 in, 4.5 in Details. Razor edge hair dressing scissors made of Japanese stainless steel J/2 - 420, HRC° (hardness) 52° - 55°. Also Available in 440c, HRC° (hardness) 60° - 65°. Available in Fix, Limitaion, Adjustable and hand adjustable screws with and without leaf spring.

[View Online](#)


SKU: AI-2501

aurifyinternational.com



Global Compliance and Recognition:

Our instruments adhere to international regulatory standards, providing you with the assurance that our products meet the highest industry benchmarks. We take pride in our global recognition as a trusted supplier in the field.



Exceptional Value, Competitive Pricing:

We believe in offering exceptional value without compromise. Our competitive pricing ensures that you receive top-tier surgical instruments at a cost-effective rate, allowing you to optimize your budget without sacrificing quality.



Customer-Centric Support:

Your satisfaction is our priority. Our customer support team is ready to assist you at every step – from inquiries and orders to post-purchase support. Experience a level of service that reflects our commitment to your success.



Sustainability in Action:

Committed to environmental responsibility, Aurify embraces sustainable practices. From sourcing materials to reducing waste, we are dedicated to contributing to a greener, more sustainable future.

We Manufacture High-Quality Instruments

Surgical Instruments

Explore our diverse array of surgical instruments, meticulously crafted to meet a comprehensive spectrum of your medical needs.

Beauty Instruments

Explore our extensive collection of beauty instruments crafted to meet all your aesthetic requirements.


Dental Instruments

Broad range of dental instruments, thoughtfully designed to address a wide spectrum of oral healthcare needs. From precision drills to specialized extraction tools, our range ensures excellence in dental procedures.

Customized Instruments

Crafting excellence to your exact specifications, our customized instruments redefine precision in every procedure. With specialized designs and personalized materials, Aurify ensures instruments that seamlessly align with your unique requirements.

Reach Us:



15 Moosa Street, Karimpura Road
Sialkot – 51310, Pakistan



(+92) 324 6487901



(+971) 55 531 4375



info@aurifyinternational.com

How To Order

Choose your desired products from our website

www.aurifyinternational.com

And send inquiry using the inquiry form or the Request a Quote Form.

Email info@aurifyinternational.com

or call (+92) 324 6487901 with the product codes and we will provide you with a quote.

Upon approval of the quote we will process your order.